

# Storage Crop Conditions Chart

## Seeding, harvesting, storage schedule

Crop Type	Crop Name	Storage Condition	Structures	Storage length	Seedling/ Harvest Months	Replant Or mulch
Cucurbits	Cucumbers	4	RC,P	2-4 WKS	6-7, 9-10	N/A
	Pumpkins	6	A,G,L,P, DC	1-3 MOS	5-6, 10	N/A
	Melons	4	RC,P,	2-4 WKS	5-6, 8-9	N/A
Winter Squash	Delicata	7	A,G,L,P, DC	1-7 MOS	6, 10	N/A
	Blue hubbard	7	A,G,L,P, DC	1-7 MOS	5-6, 10	N/A
	Buttercup	7	A,G,L,P, DC	1-7 MOS	5-6, 10	N/A
	Acorn	7	A,G,L,P,DC	1-7 MOS	5-6, 10	N/A
	Butternut	7	A,G,L,P, DC	1-7 MOS	5-6, 10	N/A
	Red Kuri	7	A,G,L,P,DC	1-7 MOS	5-6, 10	N/A
	Spaghetti	7	A,G,L,P,DC	1-7 MOS	5-6, 10	N/A
	Nightshade	Tomatoes(ripe)	4	RC,P	2-3 WKS	6-7, 9-10
Tomatoes(green)		6	A,G,L,P,DC	1-3 MOS	6-7, 9-10	N/A
Eggplant		4	RC,P	2-4 WKS	6-7, 9-10	N/A
Peppers(sweet)		4	RC,P	3-4 WKS	5-7, 9-10	N/A
Peppers(hot)		4	RC,P	6 MOS	5-7, 9-10	N/A
Fruits	Apples	2	RC	1-5 MOS	N/a, 9-10	N/A
	Pears	2	RC	1MO	N/a, 9	N/A
	Plums	1	RC	2-4 WKS	N/a, 8-9	N/A
	Quince	2	RC,P	1-2 MOS	N/a, 8-9	N/A
	Grapes	2	RC,P	3-4 WKS	N/a, 9-10	N/A
	Beans	Turtle(black)	6	A,G,L,P,DC	>2 YRS	6-8, 8-9
Red Kidney		6	A,G,L,P,DC	> 2 YRS	5-6, 8-9	N/A
White Navy		6	A,G,L,P,DC	>2 YRS	5-6, 8-9	N/A
Soybeans		6	A,G,L,P,DC	>2 YRS	5-6, 8-9	N/A
Edamame		2	RC	2-4 WKS	6-8, 9-10	N/A
Nuts	Hickory	5	A,G,L,P,C,DC	> 1YR	N/a, 9-10	N/A
	Walnut	5	A,G,L,P,C,DC	>1 YR	N/a, 9-10	N/A
	Hazelnut	5	A,G,L,P,C,DC	>1 YR	N/a, 8-10	N/A
Grains	Oats	6	A,G,L,P,C,DC	>2 YR	5-6, 8-9	N/A
	Wheat	6	A,G,L,P,C,DC	>2 YRS	5-6, 8-9	N/A
	Rye	6	A,G,L,P,C,DC	>2 YRS	5-6, 8-9	N/A
	Spelt	6	A,G,L,P,C,DC	>2 YRS	5-6, 8-9	N/A
Other	Lettuce	1	RC	1-3 WKS	8-9, 9-11	X
	Parsley(hamburg)	1	RC	>FEB	7-8, 9-11	X
	Parsley(Green)	1	RC	>JAN	7-8, 9-11	X
	Endive/Escarole	1	RC	3-6 WKS	7-8, 10-11	X
	Okra	1	RC	2-4 WKS	6-7, 9-10	N/A
	Chard	1	RC	1-2 WKS	8, 10-11	X

### Storage Conditions Key:

Moist	Dry
1. Very Cold and Very Moist - 32-40F; 90-95% RH;	5. Very Cold and Dry -32-38F;60-70%RH
2. Very Cold and Moist - 32-38F; 80-90% RH	6. Cool and Dry - 40-50 F ; 60 -70% RH
3. Cold and moist - 38 - 40F- 80-90 RH	7. Warmer and dry- 50-60 F 50-70% RH
4. Cool and Moist - 40-50F; 85-95% RH	

### Structures:

RC - Root Cellar- subterranean structure; DC – Dry Cellar; G - insulated Garage; A - insulated Attic; TR – Trench in garden ; L – Larder in house; P – Pantry in house; CL – Clamp in garden



**WHOLE FARM SERVICES**

[www.wholefarmservices.com](http://www.wholefarmservices.com) - Ecological Solutions for Regenerative Agriculture

# Storage Crop Conditions Chart

## Seeding, harvesting, storage schedule

Crop Type	Crop Name	Storage Conditions	Structures Used for Storage	Storage length	Seedling/ Harvest Months	Replant Or mulch	
Roots	Carrots	1	RC	>MAY	7-9; 10-11	N/A	
	Turnips	1	RC	>MARCH	7-9, 10-11	N/A	
	Beets	1	RC	>MARCH	7-9, 10-11	N/A	
	Celeriac	1	RC	>FEB	7-9, 10-11	N/A	
	Parsnips	1	RC	>MARCH	6-8, 10-12	Mulch	
	Rutabagas	1	RC	>	6-8, 10-11	N/A	
	Radishes	1	RC	1-8 WKS	6-8, 10-11	N/A	
	Horse Radish	1	RC	>MAY	4-5, 10-11	Mulch	
	Scorzonera	1	RC	3-4 WKS	6-8, 10-11	Mulch	
	Burdock(gobo)	1	RC	6-8 WKS	4-5, 10-11	Mulch	
	Potatoes	Russet	3	RC	6-24 WKS	7, 10-11	N/A
		Yukon Gold	3	RC	6-24 WKS	7, 10-11	N/A
Red		3	RC	6-24 WKS	7, 10-11	N/A	
Fingerling		3	RC	6-24 WKS	7, 10-11	N/A	
White		3	RC	6-24 WKS	7, 10-11	N/A	
Tubers	Sweet Potatoes	5	A,G, DC	>APRIL	5-7, 9-10	N/A	
	Sunchoke	3	RC	>MAY	4-5, 10-11	Mulch	
	Groundnut	3	RC	>APRIL	4-5, 10-11	Mulch	
Alliums	Onions	6	A,G,L,P, DC	>APRIL	5-6, 8-9	N/A	
	Garlic	6	A,G,L,P, DC	>MAY	11, 9	N/A	
	Leeks	1	RC	>APRIL	6-7, 10-11	Replant	
	Ramps	1	RC	>2-3 WKS	10-11, 5	N/A	
	Nodding onions	6	A,G,L,P, DC	>APRIL	4-6, 9	N/A	
	Walking onions	6	A,G,L,P, DC	>APRIL	4-8, 9	N/A	
	Chives	1	RC	>APRIL	3-7, 9-10	Replant	
	Garlic Chives	1	RC	>APRIL	2-7, 9-10	Replant	
	Broccoli	1	RC	>MARCH	7-9, 9-12	Replant	
	Brassicas	Cabbage	2	RC	>FEB	7-8, 9-12	Replant
Brussel sprouts		2	RC	>MARCH	7-9, 9-12	Replant	
Kohlrabi		2	RC	5-8 WKS	7-8, 9-12	Replant	
Asian cabbage		2	RC	>MARCH	7-9, 9-11	Replant	
Kale		2	RC	>FEB	7-9, 9-12	Mulch	
Cauliflower		2	RC	>MARCH	7-9, 9-12	Replant	
Collards		2	RC	>FEB	7-9, 9-11	Replant	

### Storage Conditions Key:

Moist	Dry
1. Very Cold and Very Moist - 32-40F; 90-95% RH; 2. Very Cold and Moist - 32-38F; 80-90% RH 3. Cold and moist - 38 - 40F- 80-90 RH 4. Cool and Moist - 40-50F; 85-95% RH	5. Very Cold and Dry - 32- 38F; 60-70% RH 6. Cool and Dry - 40-50 F ; 60 -70% RH 7. Warmer and dry- 50-60 F 50-70% RH

### Structures:

RC - Root Cellar- subterranean structure; DC – Dry Cellar; G - insulated Garage; A - insulated Attic; TR – Trench in garden ; L – Larder in house; P – Pantry in house; CL – Clamp in garden



**WHOLE FARM SERVICES**

[www.wholefarmservices.com](http://www.wholefarmservices.com) - Ecological Solutions for Regenerative Agriculture

